

## Contents

Complete $^1\text{H}$ and $^{13}\text{C}$ resonance assignments of a 21-amino acid glycopeptide prepared from human serum transferrin J. Lu and H. van Halbeek (Athens, GA, USA) . . . . .	1
Cyclolaminarinose. A new biologically active $\beta$ -(1 $\rightarrow$ 3) cyclic glucan P.E. Pfeffer, S.F. Osman, A. Hotchkiss (Wyndmoor, PA, USA), A.A. Bhagwat (College Park, MD, USA), D.L. Keister (Beltsville, MD, USA) and K.M. Valentine (Philadelphia, PA, USA) . . . . .	23
Conformational studies of <i>myo</i> -inositol phosphates L.G. Barrientos and P.P.N. Murthy (Houghton, MI, USA) . . . . .	39
Structural studies of the major glycolipid from <i>Saccharopolyspora</i> genus A. Gamian, H. Mordarska (Wroclaw, Poland), I. Ekiel (Montreal, Canada), J. Ulrich (Grenoble, France), B. Szponar (Wroclaw, Poland) and J. Defaye (Grenoble, France) . . . . .	55
Crystal structures of hexakis-(2,6-di- <i>O</i> -methyl)-cyclomaltohexaose (dimethyl- $\alpha$ -cyclodextrin) crystallized from acetone, and crystallized from hot water T. Steiner (Berlin, Germany), F. Hirayama (Kumamoto, Japan) and W. Saenger (Berlin, Germany) . . . . .	69
Full $^1\text{H}$ NMR assignment and detailed <i>O</i> -acetylation patterns of capsular polysaccharides from <i>Neisseria meningitidis</i> used in vaccine production X. Lemercinier and C. Jones (South Mimms, UK) . . . . .	83
The preparation of racemic and enantiomerically pure <i>myo</i> -inositol derivatives as intermediates for the synthesis of phosphatidylinositol 3-, 3,4-bis-, and 3,4,5-tris-phosphates and for the synthesis of analogues of 1D- <i>myo</i> -inositol 1,3,4,5-tetrakisphosphate T. Desai, J. Gigg, R. Gigg and E. Martín-Zamora (London, UK) . . . . .	97
<i>N</i> -Trichloroethoxycarbonyl-glucosamine derivatives as glycosyl donors W. Dullenkopf, J.C. Castro-Palomino, L. Manzoni and R.R. Schmidt (Konstanz, Germany) . . . . .	135
Synthesis of $\alpha$ - and $\beta$ -linked tyvelose epitopes of the <i>Trichinella spiralis</i> glycan: 2-Acetamido-2-deoxy-3- <i>O</i> -(3,6-dideoxy-D-arabino-hexopyranosyl)- $\beta$ -D-galactopyranosides M.A. Probert, J. Zhang and D.R. Bundle (Edmonton, Canada) . . . . .	149
Synthesis of a hexasaccharide acceptor corresponding to the reducing terminus of mycobacterial 3- <i>O</i> -methylmannose polysaccharide (MMP) W. Liao and D. Lu (Beijing, PR China) . . . . .	171
The structure of stewartan, a capsular polysaccharide produced by <i>Erwinia stewartii</i> strain DC283 B.Y. Yang, J.S.S. Gray and R. Montgomery (Iowa City, IA, USA) . . . . .	183

Synthesis of $\alpha$ -D-Glcp-(1 $\rightarrow$ 2)- $\alpha$ -D-Glcp-(1 $\rightarrow$ 3)- $\alpha$ -D-Glcp-O-(CH <sub>2</sub> ) <sub>6</sub> COOCH <sub>3</sub> for use in the assay of $\alpha$ -glucosidase I activity C.H. Scaman, O. Hindsgaul, M.M. Palcic and O.P. Srivastava (Edmonton, Canada) . . . . .	203
Mechanism of anomerization of cyclohexyl 2-deoxy-3,4,6-tri-O-methyl-2-(N-methylacetamido)- $\alpha$ - and $\beta$ -D-hexopyranosides under reductive-cleavage conditions Y.M. Ahn and G.R. Gray (Minneapolis, MN, USA) . . . . .	215
Synthesis of tetrasaccharides as possible metastatic inhibitors X.X. Zhu, P.Y. Ding and M.S. Cai (Beijing, PR China) . . . . .	229
Sulfated galactans from Australian specimens of the red alga <i>Phacelocarpus peperocarpus</i> (Gigartinales, Rhodophyta) M.-L. Liao, A. Chiovitti, S.L.A. Munro (Parkville, Australia), D.J. Craik (St. Lucia, Australia), G.T. Kraft and A. Bacic (Parkville, Australia) . . . . .	237
Structural features of the pectic polysaccharides isolated from retted hemp bast fibres M.R. Vignon and C. Garcia-Jaldon (Grenoble, France) . . . . .	249
Enzymatic properties of $\alpha$ -D-galactosidase from <i>Trichoderma reesei</i> A.N. Savel'ev, F.M. Ibatylin, E.V. Eneyskaya, A.M. Kachurin and K.N. Neustroev (St. Petersburg, Russia) . . . . .	261
<i>Notes</i>	
An improved method for the preparation of some ethyl 1-thioglycosides S.K. Das and N. Roy (Calcutta, India) . . . . .	275
Synthesis and semisynthesis of $\alpha$ -D-mannopyranosyl-(1 $\rightarrow$ 2)- $\alpha$ -D-mannopyranose octaacetate Z. Szurmai and L. Jánosy (Debrecen, Hungary) . . . . .	279
In vivo conversion of 6-O-sulfo-L-galactopyranosyl residues into 3,6-anhydro-L-galactopyranosyl residues in <i>Gracilaria chilensis</i> Bird, McLachlan et Oliveira J.A. Hemmingson, R.H. Furneaux and H. Wong (Lower Hutt, New Zealand) . . . . .	285
<i>Corrigendum</i>	
Crystal structure of an adduct of sarcosine with sucrose [Carbohydrate Research 287 (1996) 117-122] R.V. Krishnakumar and S. Natarajan (Madurai, India) . . . . .	C1
<i>Book review</i> . . . . .	C3
<i>Author index</i> . . . . .	C7
<i>Subject index</i> . . . . .	C9
<i>Contents</i> . . . . .	C13

